GENERAL
MATH TOOLKIT

# Organizing and Communicating Scientific Results with Graphs

**BLM G-37** 

CLASS

**Goal** • Become more familiar with different types of graphs

Scientists often display their observations in the form of graphs. Graphs give a visual representation of relationships that exist among data. There are several types of graphs. Three commonly used graphs are bar graphs, histograms, and line graphs.


### **Bar Graphs**

A bar graph is used when one variable is numerical and the other variable consists of categories of places or things. Follow these steps to construct a bar graph.

- 1. On graph paper, label the *x*-axis to identify the categories of places or things. Label the *y*-axis to identify the numerical variable, remembering to include units.
- **2.** Select an appropriate scale for the *y*-axis. Use a scale that will allow you to express clearly the smallest and largest numbers to be graphed.
- **3.** Decide on a width for the bars that will make the graph easy to read. Leave the same amount of space between each bar.
- **4.** Use a pencil and a ruler to draw in the bars for each category to a height required by the numeric scale. You might decide to colour code or otherwise uniquely mark each bar.
- **5.** Give your graph a title. You may want to use the same title that was used for the data table from which the graphed data were taken.

#### What to Do

1. Study the following bar graph. It was constructed following the steps above.



GENERAL MATH TOOLKIT

# Organizing and Communicating Scientific Results with Graphs

BLM G-37 (continued)

CLASS:

**2.** Construct a bar graph for the following data.

The Mass of One Mole of Different Substances

Substance	Mass (g)
carbon monoxide	28.01
iron	55.85
methane gas	16.05
ozone	48.00
water	18.02


Note: A mole is a unit that is used by chemists to talk about the amount of matter.

### **Histograms**

Histograms are similar to bar graphs, but there are no spaces between the bars. Except for leaving no space between the bars, the steps for constructing a histogram are the same as the steps for constructing a bar graph.

The reason for placing the bars in contact with each other is that the *x*-axis represents a continuous quantity such as time. Time can be grouped into months, as shown in the following histogram.

Mean Ground-level Ozone Levels, Edmonton



Source: http://www.hc-sc.gc.ca/hecs-sesc/air\_quality/publications/ground\_level\_ozone/part2/chapter5.htm

DATE: NAME: CLASS:

GENERAL MATH TOOLKIT

## Organizing and Communicating Scientific Results with Graphs

BLM G-37 (continued)

#### What to Do

Canadians consume huge quantities of energy. One Ontario family's natural gas consumption in the year 2008 is shown in the following data table. The home, a small bungalow, burned natural gas in the furnace, hot water tank, and clothes dryer. Burning natural gas releases carbon dioxide, a greenhouse gas associated with global warming. Use these data to construct a histogram.

Natural Gas Consumption by One Home During 2008

Month	Energy used (GJ)
January	14.2
February	18.5
March	9.8
April	10.1
May	4.0
June	1.7
July	2.4
August	2.4
September	6.9
October	8.1
November	8.1
December	20.0

### Line Graphs

A line graph is used when both the manipulated variable on the *x*-axis and the responding variable on the *y*-axis are numerical. Follow these steps to construct a line graph.

- 1. Include a descriptive title. Use the variables in your title: for example, Effect of Amount of Light on Plant Growth.
- **2.** Always label the manipulated variable on the *x*-axis and the responding variable on the *y*-axis. Be sure to include units.
- **3.** Decide on a suitable scale for each axis. Use tick marks at major intervals to show which lines the scale numbers relate to.
- **4.** Plot a point on the graph for each pair of data, and draw a **line of best fit** through the plotted points. Some data will generate a straight line, but a curved line might better reflect other data. A line of best fit often passes through many of the points, but sometimes it goes between plotted points. Think of the plotted points as clues about where the perfect smooth line should go. *A line of best fit shows the trend of the data*. It can be used to predict values *between* plotted points in a procedure called **interpolation**. Extending a line of best fit *beyond* plotted points allows you to make predictions of what might happen, which is called **extrapolation**.

More than one line may be plotted on one graph. In such a case, a legend is needed to explain the colours or other codes that are used to distinguish the lines.

GENERAL
MATH TOOLKIT

# Organizing and Communicating Scientific Results with Graphs


BLM G-37 (continued)

#### What to Do

1. Study the following line graph. It was constructed following the steps above.

When you observe living green plant cells with a compound light microscope, you can see bright green objects called chloroplasts. Two important pigments in chloroplasts are chlorophyll *a* and chlorophyll *b*. These two pigments absorb light to be used in the plant's production of food. White light consists of different wavelengths (colours) that are absorbed unequally, as shown in the graph.

Note: A great number of observations (that is, plotted points) are needed to create lines of best fit that are this complex. You will rarely generate such data in high school experiments.



Absorption Spectra of Chlorophylls a and b

Source: Principles of Botany, by Uno, Storey, and Moore, McGraw-Hill, 2001 (p. 235).

**2.** Traffic investigators measured the kinetic energy of vehicles of different mass at the same speed. Graph the observations they recorded in the following data table.

The Effect of Mass on Kinetic Energy of Vehicles Moving at 80.0 km/h

Mass of vehicle (kg)	Kinetic energy (×10 J)
1200	3.0
1500	3.7
2000	5.0
2500	6.2
2800	7.0

DATE: NAME: CLASS:

GENERAL MATH TOOLKIT

# Organizing and Communicating Scientific Results with Graphs

BLM G-37 (continued)

**3.** The following data show how the rate of oxygen production in aquatic plants (an indicator of food production by photosynthesis) is affected by water temperature. Graph these data.

### The Effect of Temperature on Oxygen Production in Aquatic Plants

Temperature (°C)	Number of oxygen bubbles released each minute
5	24
10	85
14	160
18	181
22	195
27	163
33	62

**4.** A painter combined white paint and black paint at specific temperatures and measured how long the paints took to mix completely. At 10°C, they took 12 min to mix completely; at 20°C, they took 9.0 min; at 30°C, they took 7.0 min; at 40°C, they took 6.0 min; and at 50°C, they took 5.5 min. Create a data table and a graph based on these data.

### **Using Technologies to Generate Graphs**

Today, there are technologies that can greatly enhance your ability to create graphs. Even some digital cameras use histograms to help you with light settings! Your teacher may have you use graphing calculators and computer software to display data and create graphs.