

## Chapter 8 Test

### Multiple Choice

For #1 to 6, select the best answer.

- The graph of  $f(x) = \log_b x$ ,  $b > 1$ , is translated such that the equation of the new graph is expressed as  $y - 2 = f(x - 1)$ . The domain of the new function is
  - $\{x \mid x > 0, x \in \mathbb{R}\}$
  - $\{x \mid x > 1, x \in \mathbb{R}\}$
  - $\{x \mid x > 2, x \in \mathbb{R}\}$
  - $\{x \mid x > 3, x \in \mathbb{R}\}$
- The  $x$ -intercept of the function  $f(x) = \log_5 x + 3$  is
  - $5^{-3}$
  - 0
  - 1
  - $5^3$
- The equation  $y = \frac{1}{3} \log_2 x$  can also be written as
  - $y = 2^{\frac{x}{3}}$
  - $x = 2^{\frac{y}{3}}$
  - $2^{3x} = y$
  - $2^{3y} = x$
- The range of the inverse function,  $f^{-1}$ , of  $f(x) = \log_4 x$ , is
  - $\{y \mid y > 0, y \in \mathbb{R}\}$
  - $\{y \mid y < 0, y \in \mathbb{R}\}$
  - $\{y \mid y \geq 0, y \in \mathbb{R}\}$
  - $\{y \mid y \in \mathbb{R}\}$
- A graph of the function  $y = \log_3 x$  is transformed. The image of the point  $(3, 1)$  is  $(6, 3)$ . The equation of the transformed function is
  - $y = 3 \log_3 (x - 3)$
  - $y = 3 \log_3 (x + 3)$
  - $y - 3 = \log_3 (x - 3)$
  - $y + 3 = \log_3 (x + 3)$
- If  $\log_{27} x = y$ , then  $\log_9 x$  equals
  - $\frac{3y}{2}$
  - $\frac{2y}{3}$
  - $3y$
  - $4^y$

### Short Answer

- If  $\log_3 5 = x$ , express  $2 \log_3 45 - \frac{1}{2} \log_3 225$  in terms of  $x$ .

- Determine the value of  $x$  algebraically.
  - $\log_4 x = -3$
  - $\log_x 64 = \frac{2}{3}$
  - $5^{\log_5 25} = x$
  - $\log_3 (x + 1)^2 = 2$
  - $\log_2 (\log_x 256) = 3$
- Solve for  $x$ .
  - $\log (2x - 3) + \log (x - 2) = \log (2x - 1)$
  - $\log (x - 7) - \log (x - 3) = \log (2x + 1)$
  - $2 \log_2 (x - 4) - \log_2 x = 1$
- The point  $(6, -4)$  lies on the graph of  $y = \log_b x$ . Determine the value of  $b$  to the nearest tenth.

### Extended Response

- Solve the equation  $5^x = 104$ , graphically and algebraically. Round your answer to the nearest hundredth.
- Given  $f(x) = \log_3 x$  and  $g(x) = \log_3 9x$ .
  - Describe the transformation of  $f(x)$  required to obtain  $g(x)$  as a stretch.
  - Describe the transformation of  $f(x)$  required to obtain  $g(x)$  as a translation.
  - Determine the  $x$ -intercept of  $f(x)$ . How can the  $x$ -intercept of  $g(x)$  be determined using your answer to parts a) or b)?
- Explain how the graph of  $y = \frac{\log_4 (3x - 1)}{2} + 1$  can be generated by transforming the graph of  $y = \log_4 x$ .
- Identify the following characteristics of the graph of the function  $y = 2 \log_4 (x + 1) + 3$ 
  - the equation of the asymptote
  - the domain and range
  - the  $x$ -intercept and the  $y$ -intercept
- An investment of \$2000 pays interest at a rate of 3.5% per year. Determine the number of months required for the investment to grow to at least \$3000 if interest is compounded monthly.
- Radioactive iodine-131 has a half-life of 8.1 days. How long does it take for the level of radiation to reduce to 1% of the original level? Express your answer to the nearest tenth.

