Chapter 10 *MathLinks 7* **Student Resource Answers**

10.1 Describe Patterns, pages 354-357

- **5. a)** Answers may vary. Each figure has 2 more squares than the previous figure.**b**)
- **6. a)** Each figure has 3 more dots than the previous figure.
 - **b)** 15
- **7.** a) 0.16, 1.16, 2.16, 3.16
 - **b)** Answers may vary. In the fraction pattern, $\frac{6}{6}$ is added to each fraction to

get the next fraction in the pattern. In the decimal pattern, 1 is added to each decimal number to get the next decimal number in the pattern.

c)
$$\frac{25}{6}$$
 d) 4.166... or 4.16

- 8. a) Answers may vary. In the fraction pattern, the value of the numerator increases by 1. In the decimal pattern, the repeating decimal is the numerator of the fraction multiplied by 9. Each repeating decimal number increases by 0.09. b) C 4 ÷ 11 = 0.363636364
 - c) $\frac{6}{11}$. The numerator of 6 multiplied by 9

is 54, which is the repeating decimal.

- **d)** $\frac{9}{11}$. Answers may vary. For example, the numerator of 9 multiplied by 9 is
- 81, which is the repeating decimal.9. a) 400. Subtract 400 from the previous number.
 - **b)** 4.6. Add 1.1 to the previous number.
 - c) Add one side to the previous polygon.
 - d)

10. a)	Α	1	2	3	4
	В	10	20	30	40
	С	100	200	300	400
	D	1000	2000	3000	4000

- **b)** A: Add 1 to the previous number.
 - B: Add 10 to the previous number.
 - C: Add 100 to the previous number.
 - D: Add 1000 to the previous number.

- **11. a)** Squares: The number of squares in the figure increases by the figure number. Colour: Alternate between adding green and red squares by adding 2 green, then 3 red, 4 green, 5 red, and so on.
 - b) Answers may vary. For example,
 c) Answers may vary. For example,
- **12.** a) The numerator is the repeating decimal.
 - **b**) $0.\overline{8}$, 1 **c**) The decimal equivalent of $\frac{9}{9}$
 - is not a repeating decimal.d) Answers may vary. For example, the pattern of repeating decimals continues.

Fraction	Decimal Number	Fraction	Decimal Number			
<u>5</u> 9	0.5	<u>12</u> 9	1.3			
<u>6</u> 9	0.6	<u>13</u> 9	1.4			
<u>7</u> 9	0.7	<u>14</u> 9	1.5			
<u>8</u> 9	0.8	<u>15</u> 9	1.ē			
9 9	1	<u>16</u> 9	1.7			
<u>10</u> 9	$1.\overline{1}$	<u>17</u> 9	1.8			
<u>11</u> 9	1.2	<u>18</u> 9	2			
	5 6 7 8 9 10 9	Fraction Number 5 0.5 6 0.6 7 0.7 8 0.8 9 1 10 1.1	Fraction Number Fraction $\frac{5}{9}$ $0.\overline{5}$ $\frac{12}{9}$ $\frac{6}{9}$ $0.\overline{6}$ $\frac{13}{9}$ $\frac{7}{9}$ $0.\overline{6}$ $\frac{13}{9}$ $\frac{7}{9}$ $0.\overline{7}$ $\frac{14}{9}$ $\frac{8}{9}$ $0.\overline{8}$ $\frac{15}{9}$ $\frac{9}{9}$ 1 $\frac{16}{9}$ $\frac{10}{9}$ $1.\overline{1}$ $\frac{17}{9}$			

f) 2.ī

13. a) Answers may vary.

1	2	3
11	12	13
21	22	23
4		22

- b) Answers may vary. 1 + 12 + 23 = 36; 3 + 12 + 21 = 36. The two sums are equal. c) Answers may vary.
- **d)** Answers may vary. The sum of one diagonal equals the sum of the other diagonal in the same 3 × 3 square.



(continued)

- e) Answers may vary. The sum of one diagonal equals the sum of the other diagonal in the same 2×2 square.
- 14. a) Answers may vary.


2	3
9	10

- **b)** Answers may vary. $2 \times 10 = 20$; $3 \times 9 = 27$ c) Answers may vary.
- d) Answers may vary. The difference between the product of the diagonals in each 2×2 square is 7.
- **15.** a) 0.3, 0.6, 1, 1.3, 1.6, ... **b)** Answers may vary.
- 16. a) 162
 - **b)** If there are tens digits in the six numbers, add them and then multiply this value by 10 to get value #1. Add the ones digits in the six numbers to get value #2. Add values #1 and #2 to get the sum of the six numbers.

c)
$$2+2+2+3+3+4=16$$

 $16 \times 10 = 160$
 $6+7+8+8+9+0 = 38$
 $160+38 = 198$

$$160 + 38 = 193$$



17. 5, 8, 11 18. 188, 176, 164, 152

10.2 Variables and Expressions, pages 361-364

4. a)	Base	1	2	3	4	5	6	
	Perimeter	4	8	12	16	20	24	

- **b)** Answers may vary. For example, the perimeter is 4 times the number of toothpicks in the base. c) 4b d) 40
- 5. a) Answers may vary. In each figure, the number of dots is 5 times the figure number. The number of black dots is 4 times the number of red dots. The number of line segments is 4 times the figure number. The number of red dots is equal to the figure number. The number of black dots is 4 times the figure number. **b)** 100

c)	Figure Number	1	2	3	4	5	6	7
	Number of	4	8	12	16	20	74	28
	Black Dots	r	0	12	10	20	27	20
	BIACK DOTS							

- d) 4f e) 204
- **6. a)** *n* represents the number of students trying out. n - 7 **b**) *f* represents the number of people in Alice's family. f - 5 c) *m* represents the number of family members. 2m
- **7. a)** 3w **b)** v 8 **c)** A + 15 **d)** $\frac{p}{4}$ **e)** 2l 2
- 8. a) 1.79p b) 1.35c c) 1.79p + 1.35
- 9. Answers may vary. For example, a) Each magazine costs \$4. **b)** the number of magazines
- **10.** Answers may vary. **a)**
 - **b**) *b* represents the figure number.
- **11. a)** 30 x **b)** n 11 **c)** p x
- **12.** a) w + 3; variable: w; constant: 3; coefficient: 1
 - **b)** 2*p*; variable: *p*; coefficient: 2
 - c) $\frac{t}{2}$ or 0.5*t*; variable: *t*; coefficient: $\frac{1}{2}$ or 0.5
- **13.** a) *h*. The number of hours Salma babysat. **b)** bonus of \$3 **c)** \$38
- 14. a) the sum of the number of loaves of white and brown bread
 - b) the number of loaves of white bread ordered over a number of days
- **15.** a) 25x b) 10y c) 25x + 10y
- 16. a) variable: a; coefficient: 7; constant: 8 **b)** variable: *h*; coefficient: 3; constant: 100
 - c) variable: q; coefficient: 8
 - **d**) variable: *n*; coefficient: $\frac{1}{3}$; constant: 5
- **17.** a) Answers may vary. The numbers increase by 10 down the H.
 - **b)** 168
 - c) Multiply the middle number by 7.
 - **d)** Answers may vary. 7 × 26 = 182

15		17	e) 7m
25	26	27	
35		37	
35		37	

- **18. a)** 5t **b)** B
- 19. a) Patterns A and B: 602 units
 - **b**), **c**) Pattern A: 4*h* + 2; Pattern B: 4(h - 1) + 6

(continued)

	10.3 Evaluate Expressions, pages 368–371					14. a)	Figure Number		nber thpic
5. a)	996	99	b) 🦳	79			1		6
					+ 🌒		2		11
c)	c) 9 9 9					3		16	
						4		21	
6.a)			\bigcirc				5		26
/		$ \rangle $					6		31
b)	\bigcirc	c) 🦳					7		36
5)	+ •••		1+ +			15. a)	14 cm² b)	56 cm	2
>						16. a)	200 mL b)	Pour	
	c + 4 b) 3c 2c + 4 b) 3		c) 3c						(mL
	8 b) 3 c) 1		c) se					1	100
	11 b) 3 c)							2	200
11. a)	Figure Nu	mber	Perin	neter	b) 60			3	300
	1			5				4	400
	2		1	0				5	500
	3		1	5				6	600
	4		2					7	700
	5					17. a)	17 b) 7 c)22 d) 20
			2			18. a)			
	6		3	0			Figure		iber o
12. a)	Bookcase	Num	ber of	b) 4	Ь		Number	Red S	-
,			lves		ookcase		1		2
	1		4	nı	umber		2		3

				(continued)
. a)	Figure Number		nber of thpicks	
	1		6	
	2		11	
	3		16	
	4		21	
	5		26	
	6		31	
	7		36	
i. a)	14 cm ² b) 5	56 cm	2	
5. a)	200 mL b)	Pour	Volume (mL)	c) 100 <i>p</i> d) number
		1	100	of pours
		2	200	e) 1500 mL
		3	300	

- pours

- 13. x = 3x + 4

~	JX T
0	4
1	7
2	10
3	13
4	16


)	Figure Number	Number of Red Squares	Number of Black Squares
	1	2	2
	2	3	4
	3	4	6
	4	5	8
	5	6	10
	6	7	12

b) 2*f* where *f* is the figure number

19. a)	Triangle Number	3t + 6	t+t+t+6
	1	9	9
	2	12	12
	3	15	15
	4	18	18
	5	21	21

b) They are both correct because 3t + 6 = t + t + t + 6.


- **20. a)** 14 cm **b)** $\frac{p-2q}{2}$ **21. a)** Figure 5 Figure 6 Black 20 24 White 25 30
 - **b)** 4*f* where *f* is the figure number
 - c) Answers may vary.




d) Answers may vary.

10.4 Graph Linear Relations, pages 378–381

3. a)	Number of Red Tiles, <i>x</i>	Number of White Tiles, y
	1	2
	2	4
	3	6
	4	8
	5	10



c) Words: The pattern of points forms a straight line, starting at (1, 2). The *y*-coordinate is 2 times the *x*-coordinate. Horizontal and Vertical Distances: The points increase by 1 unit right, then 2 units up, starting at (1, 2). Relationship: The number of red tiles is *x*. The number of white tiles is *y*. The coordinates of the points are (x, y). The relationship between *x* and *y* is linear. It can be written as (x, 2x) or y = 2x.



b) Words: The pattern of points forms a straight line, starting at (1, 2). The *y*-coordinate is one more than the *x*-coordinate.
 Horizontal and Vertical Distances: The

points increase by 1 unit right, then 1 unit up, starting at (1, 2). Relationship: The number of yellow triangles is x. The number of green triangles is y. The coordinates of the points are (x, y). The relationship between x and y is linear. It can be written as (x, x + 1) or y = x + 1.

5. a)	Day, d	Number of Visitors, v
	1	4
	2	5
	3	6
	4	7
	5	8
	6	9
	7	10
-		

 b) Words: The pattern of points forms a straight line, starting at (1, 4). The y-coordinate is 3 more than the x-coordinate.

Horizontal and Vertical Distances: The points increase by 1 unit right, then 1 unit up, starting at (1, 4). Relationship: The number of days is *d*. The number of visitors is *v*. The coordinates of the points are (d, v). The relationship between *d* and *v* is linear. It can be written as (d, d + 3) or v = d + 3. **c)** 15


6. a)	Number of Lifeguards, <i>x</i>	Number of Swimmers, y
	1	20
	2	40
	3	60
	4	80
	5	100
	6	120

(continued)

b) Words: The pattern of points forms a straight line, starting at (1, 20). The *y*-coordinate is 20 times the *x*-coordinate. Horizontal and Vertical Distances: The

points increase by 1 unit right, then 20 units up, starting at (1, 20). Relationship: The number of lifeguards is x. The number of swimmers is y. The coordinates of the points are (x, y). The relationship between x and y is linear. It can be written as (x, 20x) or y = 20x. **c)** 240

- 7. Answers may vary. a) expression: 7x; linear relation: y = 7x b) expression: x 2; linear relation: y = x 2
- **8.** a) The number of pucks is p. The total cost is C. The relationship between p and C is linear. It can be written as (p, 2p) or C = 2p. b) \$18 c) C = 2p + 30
- **9.** Yes, Faheen is correct. When you substitute the values of x when x = 1, 2, 3, 4, the y values for Graph A match y = 8 2x and the y values for Graph B match y = 8 x.



11. a) Graph 2 b) Graph 1

12. a)	Number of Sales (1000s)	Monthly Earnings (\$)
	1	1250
	2	1300
	3	1350
	4	1400
	5	1450

- b) Extend the line made by the points on the graph to x = 8. Then determine that the y value at that point is 1600.
 c) 10000 widests
- c) 10000 widgets


a)	Sightings After 1606	Year
	1	1682
	2	1758
	3	1834
	4	1910
	5	1986

- b) 5 times
- **c)** 2062

13.

- **d**) 76n + 1606; *n* stands for the sighting number of the comet since 1606.
- **e)** 76n + 1606 = 76(15) + 1606 = 2746


14. a) 🔤 🛛 🔊



- **c)** The row number is *r*. The number of seats is *s*. The relationship between *r* and *s* is linear. It can be written as (r, 4r + 12) or s = 4r + 12.
- **d)** Method 1: 4r + 12 = 4(15) + 12 = 72Method 2: As the row number increases by 1, the number of seats increases by 4. From row 6 to row 15, there are 9 rows. By the 9th row, the number of seats increases by $9 \times 4 = 36$ seats. There are 36 seats in the sixth row. The number of seats in the fifteenth row is 36 + 36 = 72.

15.a) 7 b)	Number of Triangles, t	Number of Sticks, <i>s</i>
	1	3
	2	5
	3	7
	4	9
	5	11
	6	13
	7	15
	8	17

(continued)



d) The number of triangles is t. The number of sticks is s. The relationship between t and s is (t, 2t + 1) or s = 2t + 1.
e) 4015 sticks

Chapter 10 Review, pages 382-383

- 1. variable 2. expression 3. constant
- 4. numerical coefficient 5. linear relation
- 6. a) Start with a row of 7 cubes, then put 5 cubes on top, then put 3 cubes on top of that, and then 1 cube on top of that.
 b) 25

7. a)
$$0.\overline{5}$$
, $0.\overline{7}$ **b)** $\frac{4}{9}$ **c)** $\frac{8}{9}$


- **8. a)** 0.3888... or $0.3\overline{8}$. Determine the pattern of adding $0.\overline{1}$ to the previous decimal number in the pattern: $0.2\overline{7} + 0.\overline{1} = 0.3\overline{8}$. **b)** $0.0\overline{5}$
- **9. a)** 4 **b)** down **c)** Up. In all figures with odd numbers the last triangle is pointing up, and 35 is an odd number.
- **10.** a) b 5, where b is the number of birds sitting in the tree before 5 birds fly away **b**) 8*C*, where *C* is the cost of a can of soup **c**) r + 3, where *r* is the

length of rope Peter has **d**) $\frac{8}{d}$, where

d is the number of dogs

11. a) the total number of wheels**b)** the length of one car

12.



13. a)	Number of Samosas Sold	Total Cost (\$)
	1	2.50
	2	5.00
	3	7.50
	4	10.00
	5	12.50
	6	15.00

- **b)** 2.5*s* where *s* represents the number of samosas sold **c)** \$22.50
- **14. a)** 13 **b)** 18.1 cm² **c)** 32 mm


15. a) N	lumber of	Days, d	Total C	Cost (\$), (C
----------	-----------	---------	---------	--------------	---

-,		
	3	1
	4	2
	5	3
	6	4
	7	5

- **b)** Words: The pattern of points forms a straight line, starting at (3, 1). The *C*-coordinate is 2 fewer than the *x*-coordinate. Horizontal and Vertical Distances: The points increase by 1 unit right, then 1 unit up, starting at (3, 1). Relationship: The number of days is *d*. The total cost is *C*. The coordinates of the points are (d, C). The relationship between *d* and *C* is linear. It can be written as (d, d-2) or C = d - 2.
- c) 0. It does not make sense because that means it is free to play the game for two days.
- **d**) \$46. Substitute d = 48 into the expression d 2.
- **16. a)** Graph 1 **b)** Graph 2

Chapter 10 Practice Test, pages 384-385

- 1. D 2. C 3. C 4. A
- 5. a) 3 cats leave the schoolyard
- b) half of the cats in the schoolyard
 6. a) 9 b) y + ____



(continued)

7. a) 2*t* + 10 where *t* is the number of toppings

b)	Number of Toppings, <i>t</i>	Total Cost (\$), C
	1	12
	2	14
	3	16
	4	18

c) The number of toppings is t and the cost is C. The relationship is C = 2t + 10. d) C = 1816 14 (c) 12 to 10 E = 60 2 4 Number of Toppings

8. a) 12

4 · 2 · 0

-,			
b)	Number of Small Tables, x	Number of Guests, y	
	1	4	
	3	8	
	5	12	
	7	16	
c)	3/4 16 14 15 12 13 14 15 10 <th>d) The numbers small table The number guests is y relationship is $y = 2x + 1$</th> <th>es is <i>x</i>. er of r. The p</th>	d) The numbers small table The number guests is y relationship is $y = 2x + 1$	es is <i>x</i> . er of r. The p

4 6 x

Number of Small Tables